Unlocking the Dual-Profile: Dyslexia & ADHD

A clinical reference & strategy guide for parents

new leaves CLINIC

1 Key clinical prevalence data

5–15% — **Dyslexia prevalence** in school-aged children (~80% of all diagnosed learning disabilities). [NIH data]

11.7% — **ADHD prevalence** in U.S. children aged 3–17 (~7 million children). [CDC data]

25–40% — **Co-occurrence rate:** research estimates a 25% to 40% bidirectional comorbidity rate between the two conditions.

2 Dr. Eric Q. Tridas & core literature

The attention–reading connection

Dr. Eric Q. Tridas (Editor, *From ABC to ADHD*; former IDA President) and primary empirical literature emphasize that executive function acts as the gatekeeper for reading. When both disorders are present, challenges interact in an additive, compounding manner. Early screening prevents downstream academic trauma.

The dual-engine brain metaphor & compounding impact

Children with co-occurring dyslexia and ADHD face a unique neurodevelopmental profile where challenges do not merely exist side by side—they interact in an additive or compounding manner, creating distinct functional impairments.

Literacy engine (dyslexia)
The reading processor: phonological decoding, word retrieval.

Attention engine (ADHD)
The executive functioning system: working memory, focus, initiation.

3 Key research-based cognitive & academic challenges

1. **Compounded working memory & executive function deficits:** Dyslexia impairs verbal working memory (holding phonemes/words) while ADHD impairs visuospatial working memory and central executive control. Comorbid children suffer from both, struggling with multi-step directions, tracking place in a passage, and translating thoughts into written form.
2. **Dual-route reading & comprehension breakdown:** Poor phonological decoding from dyslexia consumes high cognitive energy, while ADHD adds inattention, impulsivity, and impaired tracking. Combined, children experience rapid cognitive exhaustion, severe fluency bottlenecks, and low reading comprehension.
3. **Processing speed & rapid automatized naming (RAN) bottlenecks:** Dyslexia limits visual-to-phonological retrieval speed (RAN) while ADHD slows generalized processing. Timed tasks feel overwhelming, presenting as severe cognitive fatigue early in the school day.
4. **Writing & written expression (dysgraphia dynamics):** Expressive writing requires simultaneous phonological encoding, fine motor control, working memory, and attention. Children display extreme resistance or “shutdown,” producing short, poorly structured writing that underrepresents their verbal intelligence.
5. **Emotional fatigue, avoidance, & secondary anxiety:** Chronic academic frustration triggers task avoidance and learned helplessness, placing students at significantly higher risk for secondary academic anxiety and low self-efficacy.

4 Executive function breakdown

Primary deficits vs. dyslexia overlap

Executive functions (EFs) are top-down mental processes enabling goal-directed behavior. Use this comparative matrix to help pinpoint where your child's daily struggles originate.

EXECUTIVE FUNCTION	DYSLEXIA VS. ADHD LINK	PRIMARY FUNCTIONAL IMPACT
HEAVILY TIED TO DYSLEXIA		
Working Memory Holding, updating, and manipulating information in mind while executing tasks.	**Specifically verbal / phonological working memory.**	Struggles to hold sounds in mind while decoding unfamiliar words; forgets multi-step instructions.
Processing Speed & RAN Speed of visual/auditory processing and visual-to-linguistic retrieval.	**Rapid naming (RAN) predicts dyslexia (Double Deficit Model).**	Rapid cognitive exhaustion; a major shared bottleneck causing severe classroom and homework fatigue.
ADHD-DOMINANT		
Response Inhibition Ability to suppress impulses, filter distractions, and stop actions.	**Core behavioral deficit of ADHD ("faulty brakes").**	Impulsive word-guessing, skipping entire lines, blurting, and rushing through text.
Task Initiation Efficiently beginning a task or routine without procrastination.	**Tied to dopaminergic motivation circuits.**	Severe procrastination or meltdowns when facing daunting reading or writing tasks.
Sustained Attention Maintaining continuous focus on a task over extended periods.	**Compounded when reading drains energy.**	Mind-wandering; reading the same paragraph three times without absorbing the content.
Time Management Internal monitoring of time passage and task-duration estimation.	**Manifests as "time blindness."**	Severe misjudgments of homework duration; inability to pace during timed tests.
SHARED IMPACT		
Cognitive Flexibility Mental switching between tasks, rules, strategies, or perspectives.	**Shared / contextual: affects reading strategies (dyslexia) and task shifts (ADHD).**	Rigidity during homework; getting stuck when an applied decoding rule fails.
Organization & Planning Structuring ideas, prioritizing steps, and managing materials and thoughts.	**Severe impact on expressive writing output.**	Disorganized backpacks; inability to structure essays or sequence multi-paragraph tasks.
Emotional Regulation Managing frustration, emotional arousal, and distress levels.	**ADHD dysregulation + dyslexia distress.**	Explosive tears, task avoidance, and emotional "shutdown" at the homework table.

5 Untangling dyslexia from ADHD

BEHAVIOR	PRIMARY DYSLEXIA DRIVE	PRIMARY ADHD DRIVE	CLINICAL INDICATOR
Task avoidance	Avoids reading, writing, or text-heavy tasks specifically.	Avoids *any* long-sustained, low-stimulation task.	Domain-specific vs. effort-specific
Reading errors	**Phonological:** sound omissions, letter transpositions (*slap* → *salp*).	**Impulsive:** skips lines, ignores punctuation, guesses based on 1st letter.	Word-level accuracy vs. visual tracking/scanning
Focus & attention	Focuses well during read-alouds or hands-on tasks.	Focus fluctuates across *all* domains (unless hyperfocused).	Auditory comprehension > visual reading

6 At-home actionable strategies

15/5 micro-sprint system

15 minutes of focused work + 5 minutes of mandatory physical break (no screens). Max 3 loops (45 minutes total). Use an analog visual timer.

Two-pass method (decouple demands)

Pass 1: Capture ideas via speech-to-text or dictation to a parent (no editing).

Pass 2: Edit spelling and mechanics in a separate mini-sprint.

Bimodal reading

Pair audiobooks with visual text (Learning Ally / Bookshare) to bypass decoding barriers while keeping focus engaged.

Visual focus windowing

Block out all lines except the active sentence using an index card to prevent line-skipping.

Silent tap-and-pause

Gently tap missed words instead of speaking, to avoid breaking ADHD attention.

7 Key IEP / 504 school accommodations

- ✓ **Oral testing / speech-to-text:** for content subjects (science, history) so reading/writing deficits don't mask content knowledge.
- ✓ **1.5x to 2x extended time:** accounts for slower phonological processing speed and attentional re-anchoring needs.
- ✓ **Reduced task volume (quality over quantity):** assigned odd-numbered math problems, or 5 target spelling words instead of 20.
- ✓ **Pre-taught vocabulary lists:** provide target vocabulary 3 days in advance (as recommended by Dr. Tridas) so decoding hurdles are cleared before class.

8 ADHD medication reference chart

Note: Medication does not teach decoding, but it stabilizes executive function so literacy interventions (e.g., Orton-Gillingham) can take hold.

CLASS & CATEGORY	GENERICS & BRANDS	MECHANISM OF ACTION	ONSET & DURATION	CLINICAL CONSIDERATIONS
STIMULANT **Methylphenidate** *First-line; 70–80% response*	Ritalin Concerta Focalin Daytrana (patch) Metadate	Blocks reuptake of **dopamine** and **norepinephrine** in prefrontal cortex.	Short: 3–5 hrs Long: 8–12 hrs Onset: 30–60 min	Appetite suppression, sleep delay, mild stomach ache, rebound irritability as med wears off. Controlled substance.
STIMULANT **Amphetamine** *First-line; 70–80% response*	Adderall / XR Vyvanse Dexedrine Mydayis	Blocks reuptake *and* increases release of **dopamine** & **norepinephrine**.	Short: 4–6 hrs Extended: 10–14 hrs Onset: 30–60 min	Slightly more potent mg-for-mg than methylphenidate. Similar appetite/sleep considerations. Controlled substance.
NON-STIMULANT **Norepinephrine inhibitors**	Atomoxetine (Strattera) Viloxazine (Qelbree)	Selectively blocks reuptake of **norepinephrine** in executive networks.	24-hr coverage Slow onset: requires **2–6 weeks** of daily use	Non-controlled. Minimal impact on sleep/appetite. Great if anxiety is co-occurring. Initial fatigue/nausea possible.
NON-STIMULANT **Alpha-2 agonists**	Guanfacine ER (Intuniv) Clonidine ER (Kapvay)	Directly stimulates alpha-2 receptors, enhancing executive signal strength.	24-hr coverage Takes **1–4 weeks** for full effect	Highly effective for hyperactivity, impulsivity, tics, and emotional regulation. May cause drowsiness (give at night).

9 Protecting self-worth & next steps

Understanding after-school collapses

Children with this profile expend double the energy daily. After-school meltdowns are not “bad behavior”—they are a physiological collapse from holding together two neurodivergent engines all day.

3 action steps for tonight

1. **Audit homework time:** determine if frustration is driven by decoding fatigue or focus exhaustion.
2. **Implement the two-pass method:** separate thinking/content from mechanics/spelling during homework.
3. **Create a 30-minute “no-demand” zone:** give your child 30 minutes of unstructured downtime right after school.